

## C9F CAST IRON RIBBED AND SLOPPING GRIDDLE GAS 8 KW HOT CUPBOARD



### Characteristics

External dimensions : 400 X 835 X 900  
 Stainless steel top 18.10 planetary planetary brushed finish  
 Top thickness : 3 mm  
 body 1 mm in planetary brushed stainless steel  
 Structure : 2 mm in stainless steel  
 Stand with composite feet of 150 adjustable in height  
 folded front edge radius 20 mm  
 Back edge forming a chimney cover  
 Front without any visible screw

### Top


Ribbed and sloping cast iron plate : 400x550  
 Power : 8 kW  
 regulated flow by a 3-positions tap  
 Heating by gas stainless steel ramps with great thickness  
 Security pilot and thermocouple  
 Splash guard  
 Drawer to collect greases

### Base unit

Construction in stainless steel 18.10  
 Structure 2 mm  
 body 1 mm  
 External dimensions : 400x724x650  
 Interior dimensions : 330x656x310  
 intermediate shelf  
 Front without any visible screw  
 Double skin door  
 Power 850 W  
 Regulation by thermostat 0-85°C

### Options :

s/s steel trim bardiam 38 - linear meter (X081001)  
 gaz connection kit for hose per device (X901405)  
 electric ignition gas burner (first gas burner) (X901501)



## GAS



Gas power : 8kW

Gas connection : 15/21 MALE TAPERING

Gas appliances complying with standard NF EN 203.EN 437

Gas Directive 2009/142/EC

## ELECTRIC



Electric power : 0.85kW

Elec Réserve : INTERNAL TERMINAL BOARD - Elec fitting : 230V SINGLE

230V SINGLE( Si option électrique sélectionnée)

Electrical devices standard to the norm EN 60-335