


## CELTIC C16 2 RADIANT HOBS 4 X 4KW

### 4 X VITRO 325X650 ON ELEC OVEN



### Characteristics

External dimensions : 800 X 835 X 270  
 Stainless steel top 18.10 planetary planetary brushed finish  
 body 1 mm in planetary brushed stainless steel  
 Structure : 2 mm in stainless steel  
 Stand with composite feet of 150 adjustable in height  
 Front without any visible screw

### Top


Glass ceramic plate 6 mm thick. Dim: 650x325  
 Power: 4x4kW  
 Heating controlled by positioning thermostat 1/2/3

### Base unit

Dimension of the retort : 650x530x280  
 Walls insulated by mineral fibers  
 aluminium steam barrier  
 Power 5.1kW thermostat 50 à 300°C  
 Commutateur et Lighting indicator  
 Reinforced stainless steel resistances located  
 all around top and bottom  
 heating together or separately  
 Removable steel bottom 6 mm thickness  
 stainless steel lateral walls  
 with levels holding griddles  
 Door to double wall insulated and balanced  
 Provided with one stainless steel griddle GN2/1

### Options :

pan detection on hobs for 4 radiant hobs (X901021)  
 digital electrical controls digital sequential regulation for 4 hobs (X901042)



## ELECTRIC



Electric power : 21.10kW

Elec Réserve : INTERNAL TERMINAL BOARD - Elec fitting : 400V THREE phases

230V SINGLE( Si option électrique sélectionnée)

Electrical devices standard to the norm EN 60-335